


# BAUNG

Asian Redtail Catfish  
*Hemibagrus nemurus*

Animalia  
Chordata  
Actinopterygii  
Siluriformes  
Bagridae  
Hemibagrus  
*Hemibagrus nemurus*



Local name: *Sogo* (Central Java), *sengol*, *singgal*, *singgah* (West Java), *teiken* (North Sumatera), *tagih*, *tegeh* (East Java), *niken* (West Kalimantan), *kendiya* (Central Kalimantan), *baung putih* (East Kalimantan).



## Habitat

It covers major rivers, tributaries, ponds, rivers, lakes, lowlands, oxbow lakes, swamp lakes, swamps, and swamp forests. It belongs to the benthopelagic fish species from fresh water to brackish waters with a pH of 7-8.2 and temperatures ranging from 22°C-25°C.



## Distribution

The fish are found in India, South China, Malacca, Thailand, and Indonesia. The distribution areas in Indonesia are in Sumatra, Kalimantan and Java island.



## Food

These fish are carnivorous fish and opportunistic predators with a diet of smaller fish and aquatic and terrestrial invertebrates.




## Reproduction

The fecundity of *mystus nemurus* ranges from 30,000-70,000 eggs with a simultaneous serving pattern. The size of the first mature gonad is 23.2 cm-33.2 cm.

# BAUNG

Asian Redtail Catfish  
*Hemibagrus nemurus*

Animalia  
Chordata  
Actinopterygii  
Siluriformes  
Bagridae  
Hemibagrus  
*Hemibagrus nemurus*



Sogo (Jawa Tengah), sengol, singgal, singgah (Jawa Barat), teiken (Sumatera Utara), tagih, tegeh (Jawa Timur), niken (Kalimantan Barat), kendiya (Kalimantan Tengah), baung putih (Kalimantan Timur).



## Habitat

Meliputi sungai-sungai besar, anak sungai, lubuk, sungai, danau daratan rendah, danau oxbow, danau rawa, rawa lebak, dan hutan rawa. Tergolong ke dalam jenis ikan benthopelagik dari perairan tawar sampai dengan payau dengan pH 7 - 8,2 dan suhu berkisar 22°C - 25°C.



## Sebaran

Keberadaan ikan ini tercatat ditemukan di India, Cina Selatan, Malaka, Thailand, dan Indonesia. Wilayah sebaran di Indonesia adalah di Sumatera, Kalimantan, dan Jawa.



## Makanan

Ikan ini termasuk jenis ikan karnivora dan predator oportunistik dengan makanan berupa ikan-ikan berukuran lebih kecil dan invertebrata air dan darat.



## Reproduksi

Fekunditas ikan baung berkisar 30.000 - 70.000 butir telur dengan pola pemijahan serempak. Ukuran pertama matang gonad 23,2 cm - 33,2 cm.